Application No.	Applicant(s)	
09/718,690 Examiner	CHEN ET AL. Art Unit	
Hien Tran	1764	
IS (OR REMAINS) CLOSED in 5) or other appropriate commu RIGHTS. This application is s	nthis application. If not included unication will be mailed in due course	
<u>19/04</u> .		
	•	
ner.		
er's Amendment / Comment or the header according to 37 CF posit of BIOLOGICAL MATE	n No If in this national stage application from this national stage application from the requirem a reply complying with the requirem a reply complying with the requirem and the complete that the requirem and the requirement (PTO-948) attached in the Office action of the drawings in the front (not the back) R 1.121(d).	ents ∃ OF
) 6. ☑ Interview Su Paper No./ 8/08), 7. ☑ Examiner's 8. ☑ Examiner's	immary (PTO-413), Mail Date <u>628</u> . Amendment/Comment Statement of Reasons for Allowance	
	Departs on the cover sheet winders or of the application is set and MPEP 1308.  The sheet received in Application is set and ments have been received in Application.  The sheet received in Application is set and ments have been received in Application.  The sheet received in Application is set and ments have been received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application.  The sheet received in Application in the sheet received in Application in the sheet received in Application.  The sheet received in Application is sheet received in Application in the sheet recei	Examiner  Hien Tran    1764   1764   1764   1764   1764   1764     1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1764   1765

Application/Control Number: 09/718,690

Art Unit: 1764

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Charles W. Stewart on 6/28/04.

The application has been amended as follows:

IN THE SPECIFICATION:

On page 6, line 30 -- or fluidized bed-- has been inserted before "14".

IN THE CLAIMS:

Claims 1, 14 have been cancelled.

In claim 7, line 2 "300" has been changed to  $-30^{\circ}$ --.

In claim 8, line 2 "100" has been changed to  $-10^{0}$ --.

In claim 9, line 1 --which is within said regenerator and-- has been inserted before "wherein".

Claim 13 has been cancelled.

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Fig. 4 should be labeled as --Prior Art--. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach or suggest a spent catalyst distributor for use in a regenerator of a fluid

Application/Control Number: 09/718,690

Art Unit: 1764

catalytic unit comprising a conduit, first and second disks, and a deflector cone with all of specific details set forth in claim 2.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hien Tran whose telephone number is (571) 272-1454. The examiner can normally be reached on Tuesday-Friday from 7:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on (571) 272-1444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hien Tran

HT

Hien Tran Primary Examiner Art Unit 1764